IN THE CLAIMS

All pending claims and their present status are produced below.

- (Currently Amended) A printer for printing time-based media, the printer comprising:
 - a printing sub-system within the printer for receiving and printing standard document formats;
 - an interface within the printer for receiving that receives the time-based media data from a media source, the interface coupled to the printing sub-system;
 - a multimedia processing system within the printer and coupled to the interface for sending that issues a command to the media source to control that controls the media source to transmit the time-based media data to the printer and for distributing that distributes, between the multimedia processing system within the printer and a system external to the printer, a determination of an electronic representation and a printed representation of the time-based media;
 - a first output device, within the printer and in communication with the multimedia processing system to receive the electronic representation, for producing a corresponding electronic output from the electronic representation of the timebased media; and
 - a second output device, within the printer and in communication with the multimedia processing system to receive the printed representation, for producing a corresponding printed output from the printed representation of the time-based media.

2-3. (Canceled)

- (Previously Presented) The printer of claim 1, wherein the printed output is generated on a video paper.
- (Previously Presented) The printer of claim 1, wherein the electronic output is stored on a media recorder.
- (Previously Presented) The printer of claim 1, wherein the electronic output is stored on a removable storage device.
- (Previously Presented) The printer of claim 6, wherein the removable storage device is selected from a group consisting of a DVD, a CD-ROM, an audio cassette tape, a video tape, a flash card, a memory stick, and a computer disk.
- (Previously Presented) The printer of claim 1, wherein the interface comprises an ultrasonic pen capture device.
- (Previously Presented) The printer of claim 1, wherein the interface comprises a
 parallel port.
- (Previously Presented) The printer of claim 1, wherein the interface comprises a wireless communication interface.

- (Previously Presented) The printer of claim 1, wherein the interface comprises a serial interface.
- (Previously Presented) The printer of claim 11, wherein the serial interface is a USB interface.
- (Previously Presented) The printer of claim 1, wherein the interface comprises a docking station.
- (Previously Presented) The printer of claim 13, wherein the docking station is built into the printer.
- (Previously Presented) The printer of claim 1, wherein the interface comprises an
 optical port.
- (Previously Presented) The printer of claim 1, wherein the interface comprises a video port.
- 17. (Previously Presented) The printer of claim 1, wherein the interface comprises a port for connecting the media source, the port selected from a group consisting of SCSI, IDE, RJ11, composite video, component video and S-video.
- (Previously Presented) The printer of claim 1, wherein the interface comprises a removable storage reader.

- 19. (Previously Presented) The printer of claim 18, wherein the removable storage reader comprises media reader selected from a group consisting of a DVD reader, a flash card reader, a memory stick reader, a CD reader, a computer disk reader, and an SD reader.
- (Previously Presented) The printer of claim 1, wherein the media source comprises a cellular telephone.
- (Previously Presented) The printer of claim 1, wherein the media source comprises a video camcorder.
- (Previously Presented) The printer of claim 1, wherein the media source comprises a digital audio recorder.
- 23. (Previously Presented) The printer of claim 1, wherein the media source comprises a media input device selected from a group consisting of a DVD reader, a video cassette tape reader, a CD reader, an audio cassette tape reader, a flash card reader, a digital video recorder, a video capture device, and a meeting recorder.
- (Previously Presented) The printer of claim 1, wherein the multimedia processing system comprises a video stream processor.
- (Previously Presented) The printer of claim 24, wherein the multimedia processing system comprises a video key frames extractor.

- 26. (Previously Presented) The printer of claim 24, wherein the multimedia processing system generates a bar code, the bar code corresponding to a video segment in the video stream
- (Previously Presented) The printer of claim 1, wherein the multimedia processing system is configured to generate a web page representation of the multimedia.
 - 28. (Canceled)
- (Previously Presented) The printer of claim 1, wherein the multimedia processing system is configured for controlling at least one external functionality of the media source.
 - 30. (Canceled)
- (Previously Presented) The printer of claim 1, wherein the multimedia processing system is configured to automatically detect a communicative coupling of the media source.
- (Previously Presented) The printer of claim 1, wherein the multimedia processing system is configured to automatically download multimedia data from the media source.
- (Previously Presented) The printer of claim 1, wherein the interface comprises a database server.

- (Previously Presented) The printer of claim 33, wherein the database server comprises a music catalog.
- (Previously Presented) The printer of claim 33, wherein the database server comprises a video database.
- (Previously Presented) The printer of claim 33, wherein the database server comprises a web search engine.
- (Previously Presented) The printer of claim 1, wherein the multimedia processing system comprises a text-to-speech system.
- 38. (Previously Presented) The printer of claim 1, wherein the multimedia processing system comprises an image detection system.
- (Previously Presented) The printer of claim 1, wherein the multimedia processing system comprises a face recognition system.
- (Previously Presented) The printer of claim 1, wherein the multimedia processing system comprises a speech recognition system.
- 41. (Previously Presented) A method for printing time-based media, the method comprising:

- receiving and printing at a printing sub-system within a printer standard document formats in response to user input;
- sending issuing a command from a multimedia processing system within the printer

 to-a-media-source to control that controls the media source to transmit the
 time-based media to the printer;

receiving the time-based media data from the media source;

- automatically determining an electronic representation and a printed representation of the time-based media, wherein the determining is distributed between the multimedia processing system and a system external to the printer;
- producing a corresponding electronic output from the electronic representation of the time-based media; and
- producing a corresponding printed output from the printed representation of the timebased media.

42. (Canceled)

- (Original) The method of claim 41, wherein the electronic output is stored on a media recorder.
- (Original) The method of claim 41, wherein the electronic output is stored on a removable storage device.

- 45. (Original) The method of claim 44, wherein the removable storage device is selected from a group consisting of a DVD, a CD-ROM, an audio cassette tape, a video tape, a flash card, a memory stick, and a computer disk.
- (Original) The method of claim 41, wherein the media source comprises a cellular telephone.
- (Original) The method of claim 41, wherein the media source comprises a video camcorder.
- (Original) The method of claim 41, wherein the media source comprises a digital audio recorder.
- 49. (Previously Presented) The method of claim 41, wherein the media source comprises a media input device selected from a group consisting of a DVD reader, a video cassette tape reader, a CD reader, an audio cassette tape reader, a flash card reader, a digital video recorder, a video capture device, and a meeting recorder.

50.-55. (Canceled)

 (Previously Presented) The printer of claim 1, wherein the system external to the printer is an external computing device.

- (Previously Presented) The printer of claim 1, wherein the system external to the printer is an external network service.
- (Previously Presented) The printer of claim 1, wherein the multimedia processing system is configured to communicate with the system external to the printer.
- (Previously Presented) The printer of claim 1, wherein the multimedia processing system is configured to control functionality in the system external to the printer.
- (Previously Presented) The method of claim 41, wherein the system external to the printer is an external computing device.
- (Previously Presented) The method of claim 41, wherein the system external to the printer is an external network service.
- 62. (Previously Presented) The printer of claim 1, wherein sending commands to the media source further comprises controlling the media source to transmit the time-based media data to a system separate from the printer.
- (Previously Presented) The printer of claim 1, wherein sending commands to the media source further comprises controlling the media source to capture external data.

- 64. (Previously Presented) The method of claim 41, wherein sending commands to the media source further comprises controlling the media source to transmit the time-based media data to a system separate from the printer.
- 65. (Previously Presented) The method of claim 41, wherein sending commands to the media source further comprises controlling the media source to capture external data.
- 66. (Previously Presented) The printer of claim 1, wherein the multimedia processing system is configured to output a status message for display on a display of the media source.
- 67. (Previously Presented) The printer of claim 1, wherein the multimedia processing system is configured to output video for display on a display of the media source.
- (Previously Presented) The printer of claim 1, wherein the multimedia processing system is configured to output audio using a speaker of the media source.